

Sree Jayajothi Cements Private Limited



Ref: SJCPL /ENV /2023-24/01

Date: 25.11.2023

То

The Director

Ministry of Environment, Forest and Climate Change, Integrated Regional Office, Green House, Gopalareddy Road, Vijayawada – 520010, Andhra Pradesh.

Sub: Submission of half yearly Environmental Clearance point wise compliance report For the period of April– 2023 to September– 2023 of our Lime Stone Mines Located at Palkur – reg

Ref: EC letter No. J-11015/34/2014-IA-II (M) Dated: 17th August 2016.

Dear Sir,

We are herewith submitting half yearly Environmental Clearance point wise compliance status report for the period of April— 2023 to September— 2023 of our Lime Stone Mines located at Palkur (V), Banaganapalle (M), Nandyal Dist, Andhra Pradesh state.

Thanking You,

Yours faithfully.

For Sree Jayajothi Cements Private Limited

B. C. Gurivi Reddy

Sr. Vice President (works)

81848

My Home Palkur Limestone Mines of Sree Jayajothi Cements Private Limited,

Palkur Village -518124, Nandyal District, Andhra Pradesh

Half Yearly EC Compliance Report – [April - 2023 to September-2023] My Home Palkur Limestone Mines Ref: No. J-11015/34/2014-IA-II (M) Dated: 17th August 2016

A. SPECIFIC CONDITIONS:

S.No.	Specific conditions	Compliance status
i.	Environmental clearance is granted subjected to final	No court cases.
	outcome of Hon'ble Supreme Court of India, Hon'ble High Court of Andhra Pradesh and any other Court of	
	Law, if any, as may be applicable to this project.	
ii.	Environmental Clearance is subject to obtaining	Not applicable.
	clearance, if any, under the Wildlife (Protection) Act,	
	1972 from the competent Authority, as may be	
	applicable to this project.	
iii.	No mining activities will be allowed in forest area, if	No forest area is involved.
	any, for which the Forest Clearance is not available.	
	The project proponent shall obtain Consent to	Obtained Consent to Operate from Andhra
	Operate from the State Pollution Control Board,	Pradesh State Pollution Control Board under
iv.	Andhra Pradesh and effectively implement all	the Air & Water Act, Order No. KNL -
	conditions stipulated therein.	665/APPCB/ZOKNL/CFO/2021
		Date: 12.11.2021 valid up to 28.02.2027.
V.	The prior permission from CGWA for intersecting the	Mine working will be above ground water table.
	Ground water table shall be obtained.	Intersection of ground water table not envisaged.
vi.	The Project will implement and comply with all	Applicable conditions are being complied.
٧١.	applicable safeguard measures as provided in OM	Applicable containing are being complica.
	No. Z-11013/57/2014-IA.II (M) dated 29 th October	
	2014.	
vii.	The loose solids should be kept separately from	There will be no dump generation during the
	flowing water and flow of effluents to nearby areas	Mining Plan period.
	outside the leasehold shall be prevented. The paved	
	drains along with arrangements for over Burden Dumps and their drainage may be clearly depicted	
	on a contoured map of the mining area.	
viii.	The project proponent shall ensure that no natural	There is no water course passing through the
****	watercourse and /or water resource shall be	mine lease area.
	obstructed due to any mining operations. Adequate	
	measures shall be taken for conservation and	
	protection of the 1st and 2nd order streams,	
	emanating or passing through the mine lease during	
	the course of mining operations.	
ix.	The top soil, if any shall temporarily be stored at	Minimal quantity of topsoil is generated during
	earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land	Mining plan period and the same will be utilized for spreading along 7.5 m wide barrier Zone for
	reclamation and plantation.	development of afforestation.
X.	Appropriate safeguard measures shall be taken to	Safeguard Measures are being taken.
Λ.	Tippiophiate saleguara measures shall be taken to	Salogadia Mododios die bellig taken.

S.No.	Specific conditions	Compliance status					
	ensure stability and drainage of dump so that no						
	solid waste / debris flow into the nallah.						
Xi.	The over burden (OB) generated during the mining operation shall be stacked at earmarked dump site(s) only and it should not be kept active for a long period of time and their phase wise stabilization shall be carried out. Proper terracing of OB dump(s) shall be carried out. The over burden dump(s) shall be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dumps. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office, Chennai on six monthly basis.	There will be r Mining Plan perio		eration during			
xii.	Catch drains and siltation pond of appropriate size shall be constructed for the working pit, temporary OB and mineral dumps to arrest flow of silt and sediment directly into the adjoining River and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted particularly after the monsoon and maintained properly.	Garland drainage	provided to the	ne dump site			
xiii.	Dimension of the retaining wall at the toe of the OB dump(s) and the OB benches within the mine to check run-off and siltation should be based on the rain fall data.	No proposal of Ol	3 dumps and C	B benches			
xiv.	Plantation shall be raised in an specified area including a 7.5 m wide green belt in the safety zone around the mining lease, OB dump(s), along the roads, etc. by planting the native species in	Plantation in 7.5 out around the native species.	-				
	consultation with the local DFO/Agriculture Department. In addition, plantation shall also be raised in the backfilled and reclaimed area and around water body.	Year	No. of saplings	Area (Ha.)			
		2017-18	30	0.04			
		2018-19	715	1.07			
		2019-20	1718	1.71			
		2020-21	750	0.50			
		2021-22	1473	1.00			
		2022-23	580	0.50			

S.No.	Specific conditions	Compliance status					
		2023-24 (up to Sep 23	361	0.20			
		Total	5597	5.02			
XV.	Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as around crushing and screening plant, loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Water sprinkling roads. No crushing and s Ambient Air Quali norms prescribed Control Board will operations.	creening plant a ty parameters of by the Cen be maintained	at mine site. confirm to the tral Pollution during mining			
xvi.	Regular monitoring of water quality upstream and downstream of perennial nallahs falling in the impact zone shall be carried out and record of monitoring data should be maintained and submitted to Ministry of Environment, Forest and Climate Change, its Regional Office, Chennai, Central Groundwater Authority, Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board.	No perennial nalli zone.	ahs are falling	in the impact			
xvii.	Appropriate measures shall be taken for treatment of the upper catchment of the mine lease area.	Suitable measures	s will be taken				
xviii.	The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board.	bing complied.					
xix.	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing	Monitoring is carri	ed out regularly				
	new piezometers during the mining operations. The periodic monitoring [(at least four times in a year-pre-monsoon (April-may), monsoon (August), post-monsoon (November) and winter (January); once in	Monitoring Location Frequency of Mon		ly			
	each season)] shall be carried out in consultation with the State Ground Water Board / Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment, Forest	Last Ground wa	ater Level mo	nitoring data			

S.No.	Specific conditions	Compliance status
	and Climate Change and its Regional Office, Chennai, the Central Ground Water Authority and the Regional director, Central Ground Water Board. If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.	attached as Annexure-II
XX.	The project proponent shall obtain necessary prior permission of the competent authority for drawl of requisite quantity of water, required for the project.	Water requirement will be met from existing Yanakandla Mine sump.
xxi.	Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.	Suitable rainwater harvesting measures will be implemented.
xxii.	Appropriate mitigative measures should be taken to prevent pollution of nearby River in Consultation with the State Pollution Control Board.	There is no river, nearby the mine area.
xxiii.	Vehicular emission shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded.	Measures are taken for maintenance of vehicles used in mining operations and in transportation of mineral. Overloading of trucks is avoided.
xxiv.	Controlled blasting shall be practiced. The mitigation measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.	Controlled blasting is being carried out by using Nonnel Detonators to achieve minimum ground vibrations and to arrest fly rocks have been implemented.
XXV.	Drills shall either be operated with dust extraction or equipped with water injection system.	Drilling machine is operating with water injection system.
xxvi.	Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.	Mineral transporting from this mine to existing crusher by using tippers. Water sprinkling on haul roads is being carried out regularly
xxvii.	Sewage treatment plant shall be installed for colony. ETP shall also be provided for the workshop and wastewater generated during the mining operation.	Sewage treatment plant is already installed & operated in the colony. No workshop and waste water generated at Mines.
xxviii.	Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly.	Medical examination and periodical medical examination of the workers engaged in the project is being carried out and records maintained. Schedule of health examination of the workers is being followed.

S.No.	Specific conditions	Compliance status
xxix.	Regular monitoring of free silica in the dust will be carried out and records maintained. It shall be ensured that the levels of silica do not exceed the prescribed limit. The workers will be provided with personal protective measures to guard against inhailing silica dust.	Regular monitoring of free silica in the dust is carried out and records maintained. Workers are providing with Personal Protective Equipment (PPE).
XXX.	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health card, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Not applicable – No construction involved in the mine lease area.
xxxi.	The project proponent should take all precautionary measures during mining operation for conservation and protection of endangered flora as well as endangered fauna in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. Copy of action plan may be submitted to the Ministry and its Regional Office at Chennai within 3 months.	There are no endangered species in the study area.
xxxii.	The critical parameters such as RSPM (Particulate matter with size less than 10 micron i.e. PM10) and NOx in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further quality of discharged water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the company in public domain. The Circular No. J-20012/1/2006-IA.II(M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change, which is available on the website of the Ministry www.envfor.nic also be referred in this regard for its compliance.	PM 2.5 and PM10 in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer being monitored periodically. No waste water generation from the mine, except domestic wastewater.
xxxiii.	A Final Mine Closure Plan along with details of Corpus Fund Should be submitted to the Ministry of Environment, Forest and Climate Change 5 years in advance of final mine closure for approval.	Final Mine Closure Plan along with details of Corpus Fund will be submitted 5 years in advance of final mine closure.

S.No.	Specific conditions	Compliance status
xxxiv.	The project proponent shall undertake all the commitments made during the public hearing and effectively address the concerns raised by the locals in the public hearing as well as during consideration of the project, while implementing the project.	·

B. GENERAL CONDITIONS:-

S.No.	General conditions	Compliance status
i	No change in mining technology and scope of working should be made without prior approval of Ministry of Environment, Forest and Climate Change.	No change in mining technology and scope of working will be made without prior approval of the Ministry of Environment & Forests. Company name changed from "Sree Jayajothi Cements Limited" to "Sree Jayajothi Cements Private Limited" upon conversion to Private Limited. Necessary approval obtained from DMG & IBM. Application submitted to MoEFCC for necessary amendment in EC.
ii	No change in the calendar plan including excavation, quantum of mineral limestone and waste should be made.	Noted.
lii	Four ambient air-quality monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10micron i.e. PM10) and NOx monitoring. Location of the stations should be decided based on the metrological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with State Pollution Control Board.	Ambient Air Quality Monitoring is being carried out in nearby by villages. Reports are attached in the Annexure-I .

S.No.	General conditions	Compliance status
iv	Data on ambient air quality [(RSPM (Particulate matter with size less than 10micron i.e. (PM10) and NOx should be regularly submitted to the Ministry of Environment, Forest and Climate Change including its Regional office located at Chennai and the State Pollution Control Board/Central Pollution Control Board / Central Pollution Control Board once in six months	Data on ambient air quality is submitting regularly to the Ministry of Environment, Forest and Climate Change once in six months.
V	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.	Water spraying arrangement on haul roads, at loading area is being carried out regularly and dry fog system provided and properly maintained at unloading place for fugitive dust control.
vi	Measures should be taken for control of noise below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc., should be provided with ear plugs/muffs.	Measures being taken for control of noise within the limits in the work environment. Ear plugs/muffs are provided for workers engaged in operations of HEMM, etc.
vii	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	No workshop and waste water generated at Mines.
viii	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Personnel working in dusty areas are providing with suitable PPE and adequate training and information on safety and health aspects. Occupational Health Surveillance program for workers are being maintained periodically.
ix	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a senior Executive, who will report directly to the Head of Organization.	A separate environmental management cell with suitable qualified personnel has been set-up under the control of a senior Executive, who is reporting directly to the Head of Organization.
х	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry of Environment, Forest and Climate Change and its Regional Office located at Chennai.	The funds earmarked for environmental protection measures will be kept in separate account and will not be diverted for other purpose.

S.No.	General conditions	Compliance status				
Xi	The project authorities should inform to the Regional Office located at Chennai regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	15.03.2018. The same was informed to the RO Chennai office vide letter no.				
xii	The Regional Office of this Ministry located at Chennai shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information / monitoring reports.	Full co-operation will be extended to the officer (s) of the Regional Office and furnish the requisite data/information / monitoring reports.				
xiii.	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both hard copies as well as by e-mail)to the Ministry of Environment, Forest and Climate Change, its Regional Office Chennai, the respective Zonal Office of Central Pollution control Board and State Pollution Control Board. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment, Forest and Climate Change, Chennai, the respective Zonal Officer of Central Pollution Control Board and the State Pollution Control Board.	The same is being complied.				
xiv.	A copy of clearance letter shall be sent by the proponent to concerned panchayat, Zilla Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions /representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Copy of EC submitted to Palkur panchayat on 26.08.2016. EC letter is placed on the company website. http://www.mahacement.com/sustainability/environment/				
XV.	The State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and the Collector's office/Tahsildar's Office for 30 days.					
xvi.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall be	Environmental Statement in Form-V was submitted for the financial year 2022-23 to APPCB on 08.09.2023 and also uploaded the same on the company website.				

S.No.	General conditions	Compliance status
	put on the website of the company along with status of compliance of Environment Clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment, Forest and Climate Change, Chennai by e-mail.	
xvii.	The project authorities should advertise at least two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with State Pollution Control Board and also at web site of the Ministry of Environment, Forest and Climate Change at http://envfor.nic.in and a copy of the same should be forwarded to the Regional Office of this Ministry located at Chennai.	Newspaper advertisements published in Eenadu (Telugu) Kurnool District & The New Indian Express (English) AP on 26.08.2016 and copy of the same forwarded to the Regional office at Chennai through our letter vide Ref. No. SJCPL/ENV-HO/2016-17 dated 01.09.2016.

Annexure-I

Ambient Air Quality Monitoring

(Apr '23 to Sep'23)

Stations		PM10			PM2.5			SO ₂			NOx	
	Avg	Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Min	Max
Yanakandla Village	62	58.4	66.4	23	21.9	26.9	9.9	6.4	13.1	21	16.7	20.6
Hussainpuram Village	61	54.7	65.2	22	18.2	25.28	10.9	8.6	12.6	22	18.6	24.3
Erragudi Village	52	50.2	55	18	16.5	20.2	7.2	5.2	9.5	18	15.8	19.7
Palkur Village	74	71.4	76.3	30	27.8	31.7	11.4	10.4	13.2	23	20.8	26.7
Banganapalle Village	65	55.2	68.3	23	12.1	27.35	11.9	10.7	13.3	23	21.2	24.6
Nandavaram Village	56	52.9	60.71	18	8.1	22.69	7.6	6.4	9.4	18	15.2	20.5
Yagantipalle Village	63	61.5	65.12	22	11.4	24.3	11.1	9.5	13.1	22	18.4	25.7
Venkatapuram Village	57	54.2	59.3	17	6.2	20.9	8.1	6.2	9.4	18	15.6	18.6
Gollagutta Village	56	52.08	58.6	17	7.3	21.9	8.2	5.9	11.3	18	15.8	20.2
Patapadu Village	60	55.3	65.2	20	9.1	24.1	8.8	6.2	11.5	19	16.5	19.5
Mines Office	70	64.9	76.1	25	11.3	30.5	10.6	8.4	12.4	22	19.5	22.5

Annexure-II

Sr.No.	Location		
		Water Level in Meters	
		Monitoring Date :11.08.2023	
1	Yanakandla Village	21.5	
2	Hussainpuram Village	24.3	
3	Erragudi Village	17.2	
4	Venkatapuram Village	16.6	
5	Banganapalle Village	14.7	
6	Nandavaram Village	22.8	

	Location & Date: 18.08.2023						
Parameter	Yanakandla	Hussainpuram	Erragudi	Banaganap alle	Nandavaram	Venkatapuram	
рН	7.81	7.49	7.58	7.85	7.32	7.48	
Turbidity (NTU)	0.7	0.90	0.80	1.2	0.50	0.80	
Total hardness as CaCO3	176	191	291	230	166	179	
Iron as Fe	0.21	0.24	0.20	0.29	0.18	0.21	
Mineral Oil	Nil	Nil	Nil	Nil	Nil	Nil	
Chlorides as Cl	45	43	71	85	56	61	
Dissolved solids	386	354	578	322	121	333	
Calcium as Ca	48	55	95	47	41	50	
Magnesium as Mg	13.32	11.7	12.43	29.0	15.15	13.20	
Copper as Cu	0.03	0.05	0.11	0.08	0.03	0.05	
Manganese as Mn	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Sulphates as SO4	21	17	22	49	19	28	
Nitrates as NO3	3.33	5.76	7.25	10.56	3.38	6.39	
Fluorides as F	0.37	0.52	0.68	0.75	0.49	0.61	
Mercury as Hg	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
Cadmium as Cd	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Selenium as Se	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Arsenic as As	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Cyanide as CN	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Lead as Pb	0.02	0.03	0.03	0.02	0.05	0.03	
Zinc as Zn	0.08	0.07	0.10	0.08	0.10	0.08	
Chromium as Cr+6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Pesticides	Absent	Absent	Absent	Absent	Absent	Absent	
Alkalinity as CaCO ₃	183	160	237	221	140	115	
Boron as B	0.04	0.09	0.16	0.20	0.07	0.05	
Coliform count (MPN/100ml)	Absent	Absent	Absent	Absent	Absent	Absent	

CSR Activities for the year 2022-23

S.NO	CSR ACTIVITIES	LOCATION	EXPENDITURE
3.110	CSR ACTIVITIES	LOCATION	(Rs.)
1	Donated Cement benches to Erragudi village	Erragudi Village	70,000.00
2	Contribution for Matching Grant to develop the Sree Kambagiri Swamy Temple in Burgula Village, Peapully Mandal	Burgulla Village, Peapully Mandal	20,00,000.00
3	MPPS School, Yanakandla Development Work	Yanakandla MPPS	6,79,000.00
4	Contribution for Rural development activities (internal CC roads with side drains & culverts) in Yanakandla , Yerragudi, Hussainapuram Villages	Internal CC Roads, EHY	50,00,000.00
5	Stationary Distribution to Primary & Upper Primary School Students neary by Factory & Mines Surroundings	Yanakandla, Venkatapuram, Yerragudi, Bathulurupadu, Cheruvupalli, Palukuru, Gorlagutta, Govindenna, Nandavaram, Bathulurupadu & Meerapuram etc.,	7,00,000.00
6	Cheque handover to District Collector Nandyal to celebrate 75 th Independence Day under CSR actives	District Collector, Nandyal	2,00,000.00
7	painting, replace flooring roping of class room & replace washroom mesh girls door at MPUP school	Yanakandla	6,50,000.00
8	Levelling flooring at MPPS (SC) school	Yanakandla	15,000.00
9	Distribution of utensils to students at MPPS (SC) school	Yanakandla	6,000.00
10	Renovation of Chinnakesava Temple	Erragudi	3,50,000.00
11	Renovation of Peerla Chavidi	Hussainapuram	4,50,000.00
12	Under Construction of Anganwadi Kendram	Yanakandla	4,50,000.00
13	Maha Scholarship's distributed to Merit Students of ZPH schools around Banaganapalli Mandal	Banaganapalle Mandal	2,70,000.00

14	Bullock cart Competition at Sri Chowdeswari Temple, Nandavaram on occasion of Ugadi festival (Jyothi Mahothsavams)	Nandavaram	50,000.00
15	Bullock cart Competition at Sri Subramanyeswara Swamy Devasthanam, S.Kothuru Village on occasion of Ugadi festival	Kotturi Subbarayudu	50,000.00
16	Lemon juice Campaign conducted at Sri Chowdeswari Temple, Nandavaram on occasion of Ugadi festival (Jyothi Mahothsavams)	Nandavaram	65,000.00
18	Constructed Bus Shelter at Hussainapuram	Hussainapuram	8,00,000.00
19	Truck Tarpaulin Tying workmen shed	Factory Lorry gate, Yanakandla	3,90,000.00
20	Chalivendram in front of Factory Security Gate	Way to Labour colony road, Yanakandla	3,00,000.00
	TOTAL CSR EXPENDITURE		Rs.1,24,95,000.00

Annexure-III