

Ref: SJCPL /ENV /2024-25

Date: 06.09.2024

To,
The Environmental Engineer,
AP Pollution Control Board, Regional Office,
3rd Floor, Dr. YSR Paryavaran Bhavan,
Venkata Ramana colony,
Road No.2, Labour Colony,
Kurnool – 518 002.

Sub: - Submission of Environmental Statement in Form-V for Nandavaram-Venkatapuram Limestone Block for the Financial Year 2023- 2024 - reg

Dear Sir,

With reference to the above subject, please find enclosed herewith the Nandavaram-Venkatapuram Limestone Block Environmental Statement in Form-V for the financial year ending 31st March 2024 as required under the Environment Protection Rules 1986.

This is for your kind information and records please.

Thanking you,

Yours faithfully,
For **Sree Jayajothi Cements Private Limited**




B. C. Gurivi Reddy
Sr. Vice President (Works)

CC To: **The Member Secretary,**
Andhra Pradesh Pollution Control Board,
Dr. YSR Paryavaran Bhavan,
APIIC Colony Road, Gurunanak Colony,
Autonagar, Vijayawada-520007.

**NANDAVARAM-VENKATAPURAM LIMESTONE
BLOCK
(Lime Stone – 0.3 Million TPA)**

**ENVIRONMENTAL STATEMENT (FORM-V)
FOR FINANCIAL YEAR 2023-24**



**M/s. SREE JAYAJOTHI CEMENTS PRIVATE LIMITED
(AN ISO 9001:2015, 14001:2015, 50001:2018 & OHSAS 45001:2018
Certified Company)
Sri Nagar, Yanakandla Village, Banaganapalle (Mandal),
Nandyal (District), Andhra Pradesh – 518124**

ENVIRONMENTAL STATEMENT FORM – V

(See rule 14)

Environmental Statement for the financial year ending 31st March 2024

PART – A

i) Name and address of the owner/

Occupier of the industry operation: **Sri. Chandra Shekhar Pandey**

Director –Operations

M/s. NANDAVARAM-VENKATAPURAM LIMESTONE BLOCK

**Sy.No.507/3,512,513,514/1,514/2,514/3A,514/3B,514/4A,
514/4B&419 of Nandavaram Village,**

Sy.No.7/1 &5/2 of Venkatapuram village,

Banaganapalle Mandal, Nandyal District,

Andhra Pradesh – 518 124.

Operation or Process

ii) Industry Category : Red Category

iii) Production capacity of units:

Capacity of Lime Stone : 0.3 Million TPA

iv) Date of last Environment statement submitted: 08.09.2023

(For the year 2022-2023)

PART B

WATER AND RAW MATERIAL CONSUMPTION

Water consumption (m³/day) As per Consent

Process /Cooling : 20 m³/day

Domestic : 0.5 m³/day

Total Water consumption for 2023-24 : 1720 KL

Name of the products	Water consumption per unit of products (KL/MT)	
	During the previous financial year (2022-2023)	During the current financial year (2023-2024)
Lime Stone	0.002	0.0063

2. Raw Material Consumption

Limestone Production for 2023-24: **273000.00** MT

S.NO	Name of the Raw Material	Name of the Product	Consumption of Raw Material per unit of out put	
			During the previous financial year 2022-2023	During current financial year 2023-2024
1	Lime stone	Tonne of Lime Stone	--	-----

PART C

POLLUTION DISCHARGED TO ENVIRONMENT/UNIT OF OUTPUT

(Parameter as specified in the consent issued)

Pollutants	Quantity of pollutants discharged during 2022-2023	Concentrations of pollutants in discharges 2023-2024	Percentage of variation from prescribed standards with reasons
a) Water	Not applicable - There is no wastewater generation from mining activities. Domestic wastewater is treated in septic tank followed by soak pit.		
b) Air	There is no point source emission. Ambient Air Quality monitoring data is given in Annexure-I		

PART - D

HAZARDOUS WASTE

As specified under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016

Hazardous waste	Total quantity (Kg or Tone)	
	During the previous financial year (2022-2023)	During the current financial year (2023-2024)
From process	Nil	Nil
From pollution control facilities	Nil	Nil

PART – E
SOLID WASTES

S. No	Solid Waste	Total Quantity	
		During the previous financial year (2022-2023)	During the current financial year (2023-2024)
1.	From Process	Nil	Nil
2.	From Pollution Control Facilities	Nil	Nil
3	Quantity recycled or re-utilized within the unit.	Nil	Nil

PART – F

PLEASE SPECIFY THE CHARACTERISTICS (IN TERMS OF CONCENTRATION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATES DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES

Solid waste is disposing systematically by using for afforestation and reclamation purpose.

Details of Disposal of Top soil.

Solid waste is disposing systematically by using for afforestation and reclamation purpose.

Details of Disposal of Top soil.

During the mine period from 2018-19 to 2023-24) the total topsoil generated quantity is 153096.104 m3.

94717 m3 is used for reclamation of mined out area in Pit-1 and Pit-2, 11000 m3 is used for 7.5 mts Buffer zone area for plantation purpose and remaining 47379.104 m3 is stocked at dumps within mining lease area.

PART – G

IMPACT OF THE POLLUTION CONTROL MEASURES ON CONSERVATION OF NATURAL RESOURCES AND CONSEQUENTLY ON THE COST OF PRODUCTION.

PART – H

ADDITIONAL INVESTMENT FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION.

- Water sprinkling is being carried out regularly on haul roads.
- Regular maintenance of Vehicles being done.
- No Excessive noise areas in Mining operations.
- Workers were provided with personal protective equipment (PPE).
- 25 kmph speed limit is being maintained.
- Catch drains and siltation ponds was constructed in working pit,

- The water was collected and the same water utilized for watering the mine area, roads, greenbelt development

Green belt Development

About 2526 no's of saplings in an area of 2.76 Ha are planted in the mining lease area. The greenbelt development was carried out all along the 7.5 Mts Buffer Zone of the ML Boundary and Backfilling area in phased manner.

Year	No. of saplings	Area (Ha.)
2018-19	38	0.057
2019-20	526	0.526
2020-21	340	0.340
2021-22	747	0.50
2022-23	440	0.49
2023-24	435	0.85
Total	2526	2.76

PART-I

Any other particulars for improving the quality of the environment.

1. Water sprinkling is being carried out regularly on haul roads
2. Siltation pond made and water will be stored in the pit. Same is used for green belt development
3. Dry fog system installed at Crusher dump hopper to reduce fugitive dust emission.
4. Total belt conveyor is covered and dust collection hoods also provided at transfer points
5. Reduction in water consumption by installing dry fog system at Crusher Dump hopper.
6. Personnel working in dusty areas are providing with suitable PPE and adequate training and information on safety and health aspects are providing.
7. Installations of water spray system at stacker boom to suppress the fugitive dust.
8. We have provided atomized water sprinklers in coal yard, slag yard for dust suppression
9. Maintaining speed-limit of vehicle @20 Km/Hr for controlling fugitive dust.
10. Success in efforts of ensuring accident free working conditions for workers.
11. Sree Jayajothi Cements Private Limited has spent about Rs. 80,28,047.75/- towards welfare & community development activities (CSR) nearby villages during the financial year 2023-24.

Environmental Campaign & Awareness:

Every year Mines Environment and mineral conservation week is being celebrated and in the year 2023 we have celebrated in NV-Mines premises. On the occasion of Mines Environment and mineral conservation day, all employees and workers gathered in NV-Mines office. The environment pledge was being taken by all for environment conservation and continuous efforts to make a green and healthy environment.

On the occasion of Mines Environment and mineral conservation week day various environment related competitions are organized for company staff, workers in plant and Mines for colony children. Competitions like Environment drawings, slogans, essay writing etc. The main objective behind organizing these competitions is to make aware people about the environment consequence & its conservations. The winners of competitions are being awarded by our Plant Head. Plantation programme was done during the program.



Annexure-I

Month	Ambient Air Quality Monitoring Location							
	Yanakandla Village				Hussainpuram Village			
	Parameters				Parameters			
	PM10	PM2.5	SO2	NOx	PM10	PM2.5	SO2	NOx
Apr-23	65.71	24.15	9.18	18.9	67.8	26.7	12.6	21.7
May-23	69.4	26.9	10.7	21.6	71.4	28.6	8.2	18.5
Jun-23	66.1	24.7	11.3	20.7	64.3	22.4	9.8	20.7
Jul-23	63.7	23.2	10.2	23.4	61.5	20.6	7.6	20.7
Aug-23	60.4	22.2	9.6	19.3	65.2	24.7	10.6	21.3
Sept-23	64.9	23.8	11.6	21.8	61.7	21	8.7	18.3
Oct-23	65	24.1	9.7	18.5	59.2	22.4	10.6	21.7
Nov-23	61.4	21.7	8.6	16.8	66.3	25	11.7	23.08
Dec-23	57.6	19.4	10	20.8	64.2	23.7	12.6	24.9
Jan-24	60.3	21.5	9.8	20.6	63.4	25.2	11.2	23.8
Feb-24	64.3	24.75	7.4	20.6	66.5	26	12.2	23.3
Mar-24	65.1	25.2	8.6	17.6	59.8	19.7	10.5	20.8
Min	57.6	19.4	7.4	16.8	59.2	19.7	7.6	18.3
Max	69.4	26.9	11.6	23.4	71.4	28.6	12.6	24.9
Avg	63.6	23.4	9.7	20.1	64.3	23.8	10.5	21.6

Month	Ambient Air Quality Monitoring Location							
	Erragudi Village				Palkur Village			
	Parameters				Parameters			
	PM10	PM2.5	SO2	NOx	PM10	PM2.5	SO2	NOx
Apr-23	50.28	17.5	6.7	18.9	58.2	20.6	9.4	16.2
May-23	45.8	16.3	7.55	21.6	75.7	33.4	13.7	26.5
Jun-23	48.1	19.1	8.4	20.7	69.6	28.4	11.7	22.7
Jul-23	46.8	17.2	6.5	23.4	58.2	20.6	9.4	16.2
Aug-23	43.8	15.6	7.4	19.3	75.7	33.4	13.7	26.5
Sept-23	47.1	17.6	6	21.8	69.6	28.4	11.7	22.7
Oct-23	53.4	53.4	7.5	17.8	58.2	20.6	9.4	16.2
Nov-23	56.2	56.2	6.7	14.3	75.7	33.4	13.7	26.5
Dec-23	54	54	7.4	15.9	69.6	28.4	11.7	22.7
Jan-24	52.8	52.8	6.5	16.7	58.2	20.6	9.4	16.2
Feb-24	49.1	49.1	8	21.5	75.7	33.4	13.7	26.5
Mar-24	46.3	46.3	7.4	17	69.6	28.4	11.7	22.7
Min	43.8	15.6	6	14.3	58.2	20.6	9.4	16.2
Max	56.2	56.2	8.4	23.4	75.7	33.4	13.7	26.5
Avg	50.28	17.5	6.7	18.9	69.6	28.4	11.7	22.7

Month	Ambient Air Quality Monitoring Location								
	Banganapalle Village				Nandavaram Village				
	Parameters				Parameters				
	PM10	PM2.5	SO2	NOx	PM10	PM2.5	SO2	NOx	
Apr-23	68.7	26.3	10.5	23.8	62.54	24.9	8.6	18.9	
May-23	70.3	28.4	12.4	25.7	58.4	22.9	9.4	20.5	
Jun-23	68.4	26.7	10.3	22.6	60.9	23.3	7.9	19.7	
Jul-23	66.9	25.6	11.8	23.9	64.3	21.9	8.6	21.08	
Aug-23	63.1	22.7	10.4	21.7	58.2	19.5	9.3	20.4	
Sept-23	60.4	21.6	9.5	20.4	54.3	18.72	10.4	22.6	
Oct-23	60.4	23.2	12.1	23.6	55.6	21.6	9.4	18.8	
Nov-23	64.7	25.9	13.3	26.2	50.4	17.8	10.0	16.5	
Dec-23	66.4	26.1	12.2	25	54.7	20.2	8.4	18.9	
Jan-24	63.8	24.6	10.7	23.8	58.2	22.9	9.1	19.6	
Feb-24	65.4	25.9	11.2	17.4	55.3	21.7	6.4	20.3	
Mar-24	62.8	23.4	12.5	25.3	58.4	22.6	8.7	19.3	
Min	60.4	21.6	9.5	17.4	50.4	17.8	6.4	16.5	
Max	70.3	28.4	13.3	26.2	64.3	24.9	10.4	22.6	
Avg	65.1	25.0	11.4	23.3	57.6	21.5	8.9	19.7	

Month	Ambient Air Quality Monitoring Location							
	Yagantipalle Village				Venkatapuram Village			
	Parameters				Parameters			
	PM10	PM2.5	SO2	NOX	PM10	PM2.5	SO2	NOX
Apr-23	57.67	16.3	7.7	19.6	55.4	20.6	9.5	21.25
May-23	60.3	22.6	8.7	18.05	50.12	17.3	8.8	16.4
Jun-23	56.9	21.3	10.3	20.4	53.7	20.2	9.6	19.3
Jul-23	59.4	22.2	10.5	22.87	50.1	18.5	7.5	18
Aug-23	54.6	20.6	8.2	19.7	57	20.6	8.2	29.3
Sept-23	60.3	23.4	11.5	21.8	62.6	24	11.4	23.4
Oct-23	58.4	20.2	6.7	15.3	56.8	23.3	10.7	21.6
Nov-23	60.7	22.8	7.4	18.6	59.6	22.8	7.3	16.4
Dec-23	62.4	24.3	9.5	20.2	62.3	24.4	8.8	19.3
Jan-24	65.7	26.6	11.7	22.5	57.8	22	9.1	18.1
Feb-24	61.3	24.1	7.8	20.2	54.9	20.6	11.7	22.4
Mar-24	63.8	22.3	8.3	20.5	50.1	17.3	7.3	16.4
Min	54.6	16.3	6.7	15.3	62.6	24.4	11.7	29.3
Max	65.7	26.6	11.7	22.87	56.71	21.49	9.49	20.83
Avg	60.1	22.2	9.0	20.0	55.4	20.6	9.5	21.25

Month	Ambient Air Quality Monitoring Location							
	Gollagutta Village				Patapadu Village			
	Parameters				Parameters			
	PM10	PM2.5	SO2	NOx	PM10	PM2.5	SO2	NOx
Apr-23	64.28	24.9	9.8	20.4	62.91	21.5	8.4	18.3
May-23	67.3	26.5	11.2	23.4	59.6	19.6	9.5	20.2
Jun-23	69.7	28.4	7.9	18.6	64.3	23.6	10.3	20.7
Jul-23	67.5	25.3	8.4	20.9	62.6	22.6	9.6	21.8
Aug-23	65.8	23.7	9.6	18.2	55.9	18.4	8.6	16.5
Sept-23	62.2	21.3	12.3	22.3	51.7	16	10.7	20.2
Oct-23	49	16.7	5.8	16.2	52.6	18.2	9.5	19.8
Nov-23	54.9	18.6	7.1	17.6	57.4	20.7	8.3	18.4
Dec-23	51.3	16.7	5.4	15.8	60.2	22.9	10.4	21.4
Jan-24	55.6	20.3	7.6	18.4	63.1	23.6	12.7	24.8
Feb-24	52.4	17.3	9.5	23.6	60.9	21.5	8.2	16.2
Mar-24	56.3	21.5	10.4	22.3	63.6	24.1	9.5	19.3
Min	49	16.7	5.4	15.8	51.7	16	8.2	16.2
Max	69.7	28.4	12.3	23.6	64.3	24.1	12.7	24.8
Avg	59.7	21.8	8.8	19.8	59.57	21.06	9.64	19.80

Green Belt Development at NV-Mines Area



